



## SABANG SAJANIKANTA MAHAVIDYALAYA

P.O.: LUTUNIA, DIST.: PASCHIM MEDINIPUR, (W.B.) PIN: 721166

NAAC Accredited Grade 'B' College

Ref. No. SSM/ CP/08/2020

Date: 05/02/2020

### **TENDER NOTICE**

Sealed quotations are invited from enlisted/ reputed suppliers for supplying of following articles for Sabang Sajanikanta Mahavidyalaya. Detailed specifications along with required quantity are given below. Rate should be quoted in the following format *including GST* marked separately and delivery charges (if any). In addition to it please mention the guarantee and warranty period in the quotation. Enlisted / Interested reputed/ISO certified company/ dealers/ suppliers/ vendor may provide their possible lowest price quote latest by 12-02-2020 up to 1PM. *Quotation shall be submitted in a sealed envelope* superscripting with "QUOTATION FOR SUPPLY OF EQUIPMENTS/ ARTICLES/ GOODS FOR "CENTRAL PURCHASE" INCLUDING ABOVE MENTIONED REFERENCE NUMBER and send to The Principal, Sabang Sajanikanta Mahavidyalaya, Vill+P.O-. Lutunia, P.O., Sabang, Dist. Paschim Medinipur, West Bengal. 721166.



Principal OS 02 2020

Sabang Sajanikanta Mahavidyalaya

Principal

Sabang Sajanikanta Mahavidyalaya P.O. Lutunia, Dist., Paschim Medinipur

#### Copy to:

- The College Notice Board
- 2. The Notice Board of the Local Administrative Office *i.e.* Panchayet Office, Lutunia, Sabang, Paschim Medinipur.
- 3. The Notice Board of the Local Administrative Office *i.e.* BDO Office, Sabang, Paschim Medinipur.
- 4. The College Website: www.sabangcollege.ac.in
- 5. The Guard File





## SABANG SAJANIKANTA MAHAVIDYALAYA

P.O.: LUTUNIA, DIST.: PASCHIM MEDINIPUR, (W.B.) PIN: 721166 NAAC Accredited Grade 'B' College

Ref. No. SSM/.CP/07/2019.....

Date: 21/08/2019..

# Enlisted / Reputed Suppliers/Vendors/ISO Certified Company are requested to quote at their possible lowest price for the following items

SI. No.	Particulars with specifications with Make and Model (if any)	Qty.	Unit Price (Rs)	(if any)	Total (Rs.)
1.	RCC Precast Boundary Wall: Supplying & Installation of 6'- 0" height Precast RCC Boundary Wall. Transportation Cost including GST (if any). Please Note: Quote only having work experience of Precast RCC Boundary Wall manufacture and Installation (Please provide your credential of similar work if you have along with your quotation)  Condition:  1. RCC Pole as stabilizer should be installed each and every 5- 6 feet distance with firm concrete base 2. The work must be completed within 10 days from the receiving of the Work Order. 3. Please mention thickness of the precast slab with dimension (in inch) 4. Top sealer/fixer (if any)	200 feet	(1.5)	(ii diiy)	(113.)
2.	Office Steel Almirah, Steel Office Almirah with the following specifications:  1. Product Size 916 mm (W) x 486 mm(D) x 1980 mm (H) (variation upto ±10%) Excluding Leveler in Welded construction.  2. 0.7mm thk (±0.07mm) CRCA for shelf, 0.8mm thk High yield strength CRCA for doors and back & 0.9mm thk CRCA for all	24 pc	**		
	other components. CRCA D' grade as per IS:513, CRCA 'D' grade high yield strength as per IS:513 3.Locking & handle: Brass handle, two way locking mechanism with shooting bolt 5 Shelving Height wise shelf mounting Uniformly Distributed Load Capacity per each full shelf is 40 Kg maximum				
	<ol> <li>Nos. of Shelf with Locker: Four Shelf Five Compartment, Box file A 4 size (85 W x 345 H x 285 D) can be stored vertically on three shelves and the clear space above fourth shelf is 240 mm.</li> <li>Leveler M10 screw type leveler with hex plastic base, The finishing shall include Epoxy powder coated to the thickness of 60 - 80 microns (±10). Warranty for 5 years from date of</li> </ol>				
	installation of Almirah.				
	Steel Glass Door Book Case: overall size of 915 mm (W) x 431 mm (D) x 1981 mm (H). The Book Case shall be made from prime quality CRCA steel with anti-rusting treatment. The Top Pannel, Back Pannel and Side Pannel are made from 0.9 mm high yield CRCA and other components from 0.9 mm CRCA. Each door shall have a 6 Lever Cam Lock with Common Key. 3mm thick glass should be used in each door for clear inside vision which shall be secured in a metal frame through a rubber gasket The finishing shall include Epoxy powder coated to the thickness of 50 microns (±10)	12 pc		STE'S WA	THA VI
	Steel Slated Angle Rack: Overall Size: Steel Slated angle rack with Six shelve and five compartment, Product size - 1981mm (H) x 915mm (W) X 375mm(D). The Rack Shall be made of angle 2 mm and Shelf made of 0.8 mm. The finishing shall include Epoxy powder coated to the thickness of 60 - 80 microns (±10). Warranty for 5 years from date of installation of Rack.	24 pc		S. S	TO THE WALLAND



principal.sskm18@gmail.com
Web: www.sabangcollege.ac.in

P.O. : LUTUNIA, DIST. : PASCHIM MEDINIPUR, (W.B.) PIN : 721166

NAAC Accredited Grade 'B' College

Re	f. No. SSM/	Date:		
5.	Filling Cabinet: Filling Cabinet with Four Drawer, overall size of 457 mm (W) x 690 mm (D) x 1370 mm (H). The Cabinet shall be made from prime quality CRCA steel with anti-rusting treatment. It should have the shelf thickness of 1.02 mm, Back thickness of 1.02 mm, Drawer thickness of 0.9 mm. The finishing shall include Epoxy powder coated to the thickness of 50 microns (±10).	01 pc		
6.	Short Through projector:  Epson (EPSON -536WI (SHORT THROW INTERACTIVE)/ SONY / HP/ SHARP or any reputed company with at least 3200-Lumen WXGA Ultra-Short Throw 3LCD Projector with wall mounting kit	02 pc		
7.	Ultra Short Through projector  Epson (EPSON EB-675W (ULTRA SHORT THROW)/ SONY / HP/ SHARP or any reputed company with at least 3200-Lumen WXGA Ultra-Short Throw 3LCD Projector having High-quality image  Complete with our 3LCD technology, the EB-525W displays bright images superior-quality with wall mounting kit	02 pc		



Principal OS 02 2020

Phone: 03222 248221

Email (O): sasama1970@gmail.com

Sabang Sajanikanta Mahavidyalaya

Principal
Sabang Sajanikanta Mahavidyalaya
P.O. Lutunia, Dist.. Paschim Medinipur